

## **DECLARATION OF PERFORMANCE**

### **CPR – IFCEM / 7**

1. Unique identification code of the product-type:

**Portland-limestone cement EN 197-1 - CEM II/A-LL 42,5 R  
25 23 29 0000**

2. Intended use/es of the construction product in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Concrete, mortar, grout and other mixes for the construction and for manufacture of the construction products.**

3. Manufacturer:

**PrAT Ivano-Frankivskcement  
77422, Ukraine,  
Yamnytsia Village, Tysmenytsia District, Ivano-Frankivsk Region**

4. Authorized Representative name and address whose mandate covers the tasks specified in Article 12 (2):

**WILSTONE HANDELS GmbH, 1090 Vienna, Austria  
Heiligenstädter Strasse 69/17  
Phone: +43 699 10207042 Email: [office@taniko.at](mailto:office@taniko.at)**

Responsible person: **Michael Ratz**

5. System of assessment and verification of constancy of the construction product performance as set out in CPR, Annex V:

**System 1+**

6. Harmonized standards:

- EN 197-1:2011 Cement – Composition, specification and conformity criteria – Part 1: Common cement.

**In 1414 the reported numbers CEMKUT Kft. Nonprofit Ltd. ( 1034 Budapest, Bécsi út 122-123) product certification body on the basis of type testing (including sampling) performed the initial type test, the manufacturing plant and of FPC initial inspection and continuously performs continuous surveillance of factory production control, assessment and evaluation, and random sample testing prior to the sales market, the System 1 + and released the 1414-CPR-T0278 to EC - Certificate of performance.**

# 8. Declared Performance:

Essential characteristics	Performance	Harmonized technical specification
1	2	3
1. Common cements (subfamilies) - Composition and ingredients	clinker – 80-94 % limestone – 6-20 %	EN 197-1:2011
2. Early strength (2 days), MPa	≥ 20	
3. Standard strength (28 days), MPa	≥ 42,5 ≤ 62,5	
4. Setting time, beginning, min.	≥ 60,0	
5. Soundness, mm	≤ 10,0	
6. Sulphate content (SO <sub>3</sub> ), %	≤ 4,0	
9. Chloride content (Cl <sup>-</sup> ), %	≤ 0,10	
10. Alkali content according to Na <sub>2</sub> O equivalent, %	≤ 0,80	
11. Release of dangerous substances	NPD	
12. Chromium Cr (VI), ppm (%)	≤ 2 ppm (0,0002 %)	1907/2006 EC Directive EN 196-10:2016

The performance of the product specified above is in conformity with the declared performance. This Declaration of Performance is issued in accordance with Regulation (EU) No. 305/2011 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Head of Testing and Quality Control Laboratory**  
**Iryna Heviuk**

Ivano-Frankivsk, 2023.03.24  
(place and date of issue)



*Iryna Heviuk*  
(signature)





1414

PJSC Ivano-Frankivskcement  
77422, Ukraine,  
Yamnytsia Village, Tysmenytsia District,  
Ivano-Frankivsk Region

19

CPR – IFCEM / 7

1414-CPR-T0278

EN 197-1

Portland-limestone cement

EN 197-1 - CEM II/A-LL 42,5 R

Concrete, mortar and mixes for the preparation of building materials and construction products.

Common cements (subfamilies)

- Composition and constituents CEM II

Content of water-soluble Cr (VI) complies with the requirements of

Directives 1907/2006/ EC  $\leq 2,0$  ppm (0,0002%)

Detoxifier (dechromator) -  $\text{FeSO}_4 \times 7\text{H}_2\text{O}$

- Registration certificate No. 01-2119513203-57-0018

Release of dangerous substances NPD